

YOU CAN BANK ON WELL LIANG



Index

Please choose one country which you are interested in



America	美国
Argentina	阿根廷
Australia	澳大利亚
Brazil	巴西
China	中国
Denmark	丹麦
Europe	欧洲
India	印度
Israel	以色列
Italy	意大利
Japan	日本
Korea	韩国
Singapore	新加坡
South Africa	南非
Switzerland	瑞士
Thailand	泰国
UK	英国
Cables Information	电线信息
Car Refrigerator Plug	车用冰箱插头线
Cigarette Plug	电烟器车充线
Fan Power Cord	风扇插头线



North America



NEMA 1-15P Straight Type Non Polarized & Polarized

Applicable Flexible Cord Types:

18AWG/2C SVT / SVTO / SVTOO / SJT / SJTW
 SJTO / SJTOW / SJTOO / SJTOOW
 16AWG/2C SVT / SVTO / SVTOO / SJT / SJTW
 SJTO / SJTOW / SJTOO / SJTOOW
 14AWG/2C SJT / SJTW / SJTO / SJTOW
 / SJTOO / SJTOOW

Current Rate:

10A/125V~ 13A/125V~ 15A/125V



NEMA 1-15P Straight Type Non Polarized & Polarized

Applicable Flexible Cord Types:

18AWG/2C SPT-1 / SPT-1W / SPT-2 / SPT-2W
 NISPT-1 / NISPT-2
 HPN
 16AWG/2C SPT-2 / SPT-2W
 NISPT-2
 HPN

Current Rate:

10A/125V~ 13A/125V



NEMA 1-15P Straight Type Polarized Or Non Polarized

Applicable Flexible Cord Types:

18AWG/2C SVT / SVTO / SVTOO / SJT / SJTW
 16AWG/2C SVT / SVTO / SVTOO / SJT / SJTW
 14AWG/2C SJT / SJTW / SJTO / SJTOW
 / SJTOO / SJTOOW

Current Rate:

10A/125V ~ 13A/125V ~ 15A/125V



NEMA 1-15P Straight Type With Fused

Applicable Flexible Cord Types:

18AWG/2C SPT-2 / SPT-2R
 16AWG/2C SPT-2 / SPT-2R

Current Rate:

2.5A/125V~ 5A/125V



IEC 60320 C7 Straight Type

Applicable Flexible Cord Types:

18AWG/2C SPT-1 / SPT-2
 SPT-1W / SPT-2W
 NISPT-1 / NISPT-2

Current Rate:

10A/125V



IEC 60320 C7 Polarized Straight Type

Applicable Flexible Cord Types:

18AWG/2C SPT-1 / SPT-2
 SPT-1W / SPT-2W
 NISPT-1 / NISPT-2

Current Rate:

10A/125V



IEC 60320 C7 Non Polarized Angle Connector

Applicable Flexible Cord Types:

18AWG/2C SPT-1 / SPT-1W / SPT-2
 SPT-2W
 NISPT-1 / NISPT-2

Current Rate:

10A/125V



IEC 60320 C7 Polarized Angle Connector

Applicable Flexible Cord Types:

18AWG/2C SPT-1 / SPT-1W / SPT-2
 SPT-2W
 NISPT-1 / NISPT-2


Current Rate:


10A/125V





North America





IEC 60320 C7 Angled Top Type	
Applicable Flexible Cord Types: 18AWG/2C SPT-1 / SPT-1W / SPT-2 SPT-2W NISPT-1 / NISPT-2 Current Rate: 10A/125V	

IEC 60320 C8 Straight Type	
Applicable Flexible Cord Types: 18AWG/2C SPT-1 / SPT-1W / SPT-2 SPT-2W NISPT-1 / NISPT-2 Current Rate: 10A/125V	

NEMA 1-15R Polarized / Non-Polarized	
Applicable Flexible Cord Types: 18AWG/2C SPT-2 / SPT-3 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/2C SPT-2 SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 14AWG/2C SJT / SJTW / SJTO / SJTOW SJTOO / SJTOOW Current Rate: 10A/125V~ 13A/125V~ 15A/125V	

NEMA 5-15P Straight Type	
Applicable Flexible Cord Types: 18AWG/3C SPT-1 / SPT-2 / SPT-3 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/3C SPT-2 / SPT-3 SJT / SJTW / SJTO / SJTOW / / SJTOO / SJTOOW 14AWG/3C SJT / SJTW / SJTO / SJTOW / / SJTOO / SJTOOW 12AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW Current Rate: 10A/125V~13A/125V~ 15A/125V	

NEMA 5-15P Straight Type	
Applicable Flexible Cord Types: 18AWG/3C SPT-1 / SPT-2 / SPT-3 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/3C SPT-2 / SPT-3 SJT / SJTW / SJTO / SJTOW / / SJTOO / SJTOOW 14AWG/3C SJT / SJTW / SJTO / SJTOW / / SJTOO / SJTOOW 12AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW Current Rate: 10A/125V~13A/125V~ 15A/125V	

NEMA 5-15P Straight Type	
Applicable Flexible Cord Types: 18AWG/3C SPT-1 / SPT-2 / SPT-3 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/3C SPT-2 / SPT-3 SJT / SJTW / SJTO / SJTOW / / SJTOO / SJTOOW 14AWG/3C SJT / SJTW / SJTO / SJTOW / / SJTOO / SJTOOW 12AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW Current Rate: 10A/125V~13A/125V~ 15A/125V	



North America



NEMA 5-15P Angle Type

Applicable Flexible Cord Types:

18AWG/3C SPT-1 / SPT-2 / SPT-3
SVT / SVTO / SVTOO
SJT / SJTW / SJTO / SJTOW
SJTOO / SJTOOW

16AWG/3C SPT-2 / SPT-3
SJT / SJTW / SJTO / SJTOW /
SJTOO / SJTOOW

14AWG/3C SPT-3
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

Current Rate:

10A/125V~ 13A/125V~ 15A/125V



NEMA 5-15P Angle Type

Applicable Flexible Cord Types:

18AWG/3C SPT-1 / SPT-2 / SPT-3
SVT / SVTO / SVTOO
SJT / SJTW / SJTO / SJTOW
SJTOO / SJTOOW

16AWG/3C SPT-2 / SPT-3
SJT / SJTW / SJTO / SJTOW /
SJTOO / SJTOOW

14AWG/3C SPT-3
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

Current Rate:

10A/125V~ 13A/125V~ 15A/125V



NEMA 5-15P Hospital Grade

Applicable Flexible Cord Types:

18AWG/3C SVT / SVTO / SVTOO
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

16AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

12AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

Current Rate:

10A/125V~ 13A/125V~ 15A/125V



NEMA 5-15R Receptacle

Applicable Flexible Cord Types:

18AWG/3C SPT-2 / SPT-3
SVT / SVTO / SVTOO
SJT / SJTW / SJTO / SJTOW /
SJTOO / SJTOOW

16AWG/3C SPT-2 / SPT-3
SJT / SJTW / SJTO / SJTOW /
SJTOO / SJTOOW

14AWG/3C SJT / SJTW / SJTO / SJTOW /
SJTOO / SJTOOW

Current Rate:

10A/125V~ 13A/125V~ 15A/125V



IEC 60320 C14 Straight Type Connector

Applicable Flexible Cord Types:

18AWG/3C SPT-2 / NISPT-2
SVT / SVTO / SVTOO
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

16AWG/3C SPT-2 / NISPT-2
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

Current Rate:

10A/125V ~ 13A/125V ~ 15A/125V

Color:

Red / Blue / Yellow / White



IEC 60320 C14 Angled Top Type Connector

Applicable Flexible Cord Types:

18AWG/3C SPT-2 / NISPT-2
SVT / SVTO / SVTOO
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

16AWG/3C SPT-2 / NISPT-2
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

Current Rate:

10A/125V ~ 13A/125V ~ 15A/125V

Color:


Red / Blue / Yellow / White




North America




IEC 60320 C14 Right Angled & Left Angled Type

<p>Applicable Flexible Cord Types: 18AWG/3C SPT-2 / NISPT-2 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/3C SPT-2 / NISPT-2 SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 14AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW</p> <p>Current Rate: 10A/125V ~ 13A/125V ~ 15A/125V</p>	
<p>Color: Red / Blue / Yellow / White</p>	

IEC 60320 C13 Straight Type

<p>Applicable Flexible Cord Types: 18AWG/3C SPT-2 / NISPT-2 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/3C SPT-2 / NISPT-2 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 14AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW</p> <p>Current Rate: 10A/125V ~ 13A/125V ~ 15A/125V</p>	
<p>Color: Red / Blue / Yellow / White</p>	


IEC 60320 C13 Angled Top Type

<p>Applicable Flexible Cord Types: 18AWG/3C SPT-2 / NISPT-2 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/3C SPT-2 / NISPT-2 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 14AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW</p> <p>Current Rate: 10A/125V ~ 13A/125V ~ 15A/125V</p>	
<p>Color: Red / Blue / Yellow / White</p>	


IEC 60320 C13 Right Angled & Left Angled Type

<p>Applicable Flexible Cord Types: 18AWG/3C SPT-2 / NISPT-2 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/3C SPT-2 / NISPT-2 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 14AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW</p> <p>Current Rate: 10A/125V ~ 13A/125V ~ 15A/125V</p>	
<p>Color: Red / Blue / Yellow / White</p>	

IEC 60320 C15 Straight Type

<p>Applicable Flexible Cord Types: 18AWG/3C HPN SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/3C HPN SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW</p> <p>Current Rate: 10A/125V ~ 13A/125V</p>	
<p>Color: Red / Blue / Yellow / White</p>	


IEC 60320 C15 Left Or Right Angled Type


<p>Applicable Flexible Cord Types: 18AWG/3C HPN SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/3C HPN SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW</p> <p>Current Rate: 10A/125V ~ 13A/125V</p>	
<p>Color: Red / Blue / Yellow / White</p>	





North America





IEC 60320 C5 Straight Type	
Applicable Flexible Cord Types: 18AWG/3C SPT-1 / SPT-2 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW Current Rate: 10A/125V	

IEC 60320 C5 Angled Top Type	
Applicable Flexible Cord Types: 18AWG/3C SPT-1 / SPT-2 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW Current Rate: 10A/125V	


IEC 60320 C5 Left Angled Type	
Applicable Flexible Cord Types: 18AWG/3C SPT-1 / SPT-2 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW Current Rate: 10A/125V	

IEC 60320 C5 Right Angled Type	
Applicable Flexible Cord Types: 18AWG/3C SPT-1 / SPT-2 SVT / SVTO / SVTOO SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW Current Rate: 10A/125V	

IEC 60320 C19 Straight Connector	
Applicable Flexible Cord Types: 18AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 14AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 12AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW Current Rate: 10A/125V ~ 13A/125V ~ 15A/125V ~ 20A/125V	 Color: Red / Blue / Yellow / White

IEC 60320 C20 Straight Plug	
Applicable Flexible Cord Types: 18AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 16AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 14AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW 12AWG/3C SJT / SJTW / SJTO / SJTOW / SJTOO / SJTOOW Current Rate: 10A/125V ~ 13A/125V ~ 15A/125V ~ 20A/125V	 Color: Red / Blue / Yellow / White





North America

IEC 60320 C19 Right Angled Connector

Applicable Flexible Cord Types:

18AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
16AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
12AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

Current Rate:

10A/125V ~ 13A/125V ~ 15A/125V ~ 20A/125V

Color:

Red / Blue / Yellow / White



IEC 60320 C20 Right Angled Plug

Applicable Flexible Cord Types:

18AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
16AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
12AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

Current Rate:

10A/125V ~ 13A/125V ~ 15A/125V ~ 20A/125V

Color:

Red / Blue / Yellow / White



IEC 60320 C19 Left Angled Connector

Applicable Flexible Cord Types:

18AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
16AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
12AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

Current Rate:

10A/125V ~ 13A/125V ~ 15A/125V ~ 20A/125V

Color:

Red / Blue / Yellow / White



IEC 60320 C20 Left Angled Plug

Applicable Flexible Cord Types:

18AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
16AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
12AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

Current Rate:

10A/125V ~ 13A/125V ~ 15A/125V ~ 20A/125V

Color:

Red / Blue / Yellow / White



NEMA 5-20P Straight type

Applicable Flexible Cord Types:

18AWG/3C SPT-2 / SPT-3 / HPN
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
16AWG/3C SPT-2 / SPT-3 / HPN
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
12AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

Current Rate:

10A/125V ~ 13A/125V ~ 15A/125V ~ 20A/125V



NEMA 5-20P Angled type

Applicable Flexible Cord Types:

18AWG/3C SPT-2 / SPT-3 / HPN
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
16AWG/3C SPT-2 / SPT-3 / HPN
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW
12AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

Current Rate:

10A/125V ~ 13A/125V ~ 15A/125V ~ 20A/125V





North America

NEMA 6-15P Straight Type

Applicable Flexible Cord Types:

18AWG/3C SPT-2 / SPT-3 / HPN
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

16AWG/3C SPT-2 / SPT-3 / HPN
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

12AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW



Current Rate:

10A/250V~ 13A/250V~ 15A/250V

NEMA 6-20P Straight Type

Applicable Flexible Cord Types:

18AWG/3C SPT-2 / SPT-3 / HPN
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

16AWG/3C SPT-2 / SPT-3 / HPN
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

12AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW



Current Rate:

10A/250V~ 13A/250V~ 15A/250V ~ 20A/250V

NEMA 6-20P Angled Type

Applicable Flexible Cord Types:

18AWG/3C SPT-2 / SPT-3 / HPN
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

16AWG/3C SPT-2 / SPT-3 / HPN
SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

14AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW

12AWG/3C SJT / SJTW / SJTO / SJTOW
/ SJTOO / SJTOOW



Current Rate:

10A/250V~ 13A/250V~ 15A/250V

NEMA 5-15R 6-15R 5-20R 6-20R Receptacle Straight Type

Applicable Flexible Cord Types:

18AWG/3C SJT / SJTW / SJTOW / SJTOO
/ SJTOOW

16AWG/3C SJT / SJTW / SJTOW

14AWG/3C SJT / SJTW / SJTO / SJTOW

12AWG/3C SJT / SJTW / SJTO / SJTOW



Current Rate:

10A/125V~ 13A/125V~ 15A/125V ~ 20A/125V
10A/250V~ 13A/250V~ 15A/250V ~ 20A/250V

NEMA L5-20P Locking Type Plug

Applicable Flexible Cord Types:

14AWG/3C SJT / SJTW / SJTO / SJO / SJ
12AWG/3C SJT / SJTW / SJTO / SJO / SJ
10AWG/3C SJT / SJTW / SJTO / SJO / SJ



Current Rate:

18A/125V ~ 20A/125V

NEMA L5-30P Locking Type Plug

Applicable Flexible Cord Types:

16AWG/3C SJT / SJTW / SJTWO / SJ / SJO
14AWG/3C / SJOW / SJOOW / ST / STW / STO
12AWG/3C STOW / STOO / STOOO
10AWG/3C

8AWG/3C ST / STW / STO / STOW / STOO
/ STOOO



Current Rate:

13A/125V ~ 18A/125V ~ 25A/125V ~ 30A/125V



North America



NEMA L5-30R Locking Type

Applicable Flexible Cord Types:

14AWG/3C SO / SOW / SOOW / SJ / SJOW
 12AWG/3C / SJOOW / ST / STO / STW / STOW
 10AWG/3C / STOOW / SEW / SJEW / SJT / STO
 / SJTOW / SJTW

Current Rate:

18A/125V / 25A/125V / 30A/125V



NEMA L6-20P Locking Type Plug

Applicable Flexible Cord Types:

16AWG/3C SJT / SJTW / SJTO / SJTOW
 14AWG/3C SJ / SJO / SJOOW
 12AWG/3C ST / STW / STO / STOW
 10AWG/3C STOO / STOOW

8AWG/3C ST / STW / STO / STOW
 / STOO / STOOW

Current Rate:

18A/250V ~ 20A/250V



NEMA L6-30P Locking Type Plug

Applicable Flexible Cord Types:

16AWG/3C ST / STW / STO / STOW
 14AWG/3C / STOO / STOOW
 12AWG/3C
 10AWG/3C

Current Rate:

18A/125V / 25A/125V / 30A/125V



NEMA L6-30R Locking Type

Applicable Flexible Cord Types:

14AWG/3C SO / SOW / SOOW
 12AWG/3C SJ / SJO / SJOW
 10AWG/3C SJTOW / SJTW / SJOOW
 ST / STO / STW / STOW / STOOW
 SEW / SJEW / SJT / STO

Current Rate:

18A/250V ~ 25A/250V ~ 30A/250V



NEMA 10-50P Plug

Applicable Flexible Cord Types:

SRDT 10AWG/3C 8.3*20.5
 SRDT 8AWG*2 + 10AWG*1C 9.28*21.6
 SPT-S 10AWG*3C 9.1*18.8

Current Rate:

40A/125V ~ 50A/125V
 40A/250V ~ 50A/250V





Europe

2 Poles 2.5A Euro Plug

Applicable Flexible Cord Types:

- H03VVH2-F 2C 0.75
- H05VVH2-F 2C 0.75
- H03VV-F 2C 0.75
- H05VV-F 2C 0.75 / 2C 1.0



Current Rate:
2.5A/250V

2 Poles 2.5A Euro Receptacle

Applicable Flexible Cord Types:

- H03VVH2-F 2C 0.75
- H05VVH2-F 2C 0.75
- H03VV-F 2C 0.75
- H05VV-F 2C 0.75 / 2C 1.0



Current Rate:
2.5A/250V

2 Poles 2.5A Euro Plug

Applicable Flexible Cord Types:

- H03VVH2-F 2C 0.75
- H05VVH2-F 2C 0.75
- H03VV-F 2C 0.75
- H05VV-F 2C 0.75 / 2C 1.0



Current Rate:
2.5A/250V

2 Poles 16A Euro Plug

Applicable Flexible Cord Types:

- H03VVH2-F 2C 0.75
- H05VVH2-F 2C 0.75
- H03VV-F 2C 0.75
- H05VV-F 2C 0.75 / 2C 1.0
- H05RR-F 2C 0.75 / 2C 1.0
- H05RN-F 2C 0.75 / 2C 1.0



Current Rate:
16A/250V

3 Poles Schuko 16A Plug Angle Type

Applicable Flexible Cord Types:

- H03VV-F 3G 0.5 / 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
- H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
- H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
16A/250V



3 Poles Schuko 16A Plug Straight Type

Applicable Flexible Cord Types:

- H03VV-F 3G 0.5 / 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
- H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
- H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
16A/250V



Europe

2 Poles 16A Euro Plug IP44 Straight Type

Applicable Flexible Cord Types:

H05RN-F 2C 0.75 / 2C 1.0
H07RN-F 2C 1.0 / 2C 1.5

Current Rate:
16A/250V



3 Poles Schuko 16A Euro Plug IP44 Straight Type

Applicable Flexible Cord Types:

H05RR-F 3G 1.5
H05RN-F 3G 1.5 / 3G 1.0
H07RN-F 3G 1.0 / 3G 1.5

Current Rate:
16A/250V



3 Poles Schuko 16A Euro Receptacle Straight Type

Applicable Flexible Cord Types:

H05RR-F 3G 1.5
H07RN-F 3G 1.5

Current Rate:
16A/250V



2 Poles 16A Euro Plug

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75
H05VVH2-F 2C 0.75
H03VV-F 2C 0.75
H05VV-F 2C 0.75 / 2C 1.0
H05RR-F 2C 0.75 / 2C 1.0
H05RN-F 2C 0.75 / 2C 1.0

Current Rate:
16A/250V



Lead Pins

Applicable Flexible Cord Types:

H03VV-F 1C 0.5 / 1C 0.75
H05VV-F 1C 0.75 / 1C 1.0 / 1C 1.5
H05RR-F 1C 0.75 / 1C 1.0 / 1C 1.5
H05RN-F 1C 0.75 / 1C 1.0

Current Rate:
16A/250V



IEC 60320 C8 Straight Type

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75
H05VVH2-F 2C 0.75

Current Rate:
2.5A/250V





Europe

IEC 60320 C7 Angle Connector

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75
H05VVH2-F 2C 0.75



Current Rate:
2.5A/250V

IEC 60320 C7 Straight Type

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75
H05VVH2-F 2C 0.75



Current Rate:
2.5A/250V

IEC 60320 C7 Top Angle Connector

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75
H05VVH2-F 2C 0.75



Current Rate:
2.5A/250V

IEC 60320 C5 Straight Type

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0



Current Rate:
2.5A/250V

IEC 60320 C5 Left Angled Type

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0



Current Rate:
2.5A/250V



IEC 60320 C5 Right Angled Type

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0



Current Rate:
2.5A/250V



Europe

IEC 60320 C5 Angled Top Type

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0



Current Rate:
2.5A/250V

IEC 60320 C14 Straight Type Connector

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
10A/250V

IEC 60320 C14 Angled Top Type Connector

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
10A/250V

IEC 60320 C14 Right Angled & Left Angled Type

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
10A/250V

IEC 60320 C13 Straight Type

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RN-F 3G 0.75 / 3G 1.0 / 3G 1.5



Current Rate:
10A/250V



IEC 60320 C13 Angled Top Type

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RN-F 3G 0.75 / 3G 1.0 / 3G 1.5




Current Rate:
10A/250V




Europe


IEC 60320 C13 Right Angled & Left Angled Type

<p>Applicable Flexible Cord Types:</p> <p>H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5 H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5 H05RN-F 3G 0.75 / 3G 1.0 / 3G 1.5</p> <p>Current Rate: 10A/250V</p>	
--	---


IEC 60320 C20 Straight Plug

<p>Applicable Flexible Cord Types:</p> <p>H05VV-F 3G 1.0 / 3G 1.5 H05RR-F 3G 1.0 / 3G 1.5 H05RM-F 3G 1.0</p> <p>Current Rate: 16A/250V</p>	 <p>Color: Red / Blue / Yellow / White</p>
---	---


IEC 60320 C20 Left Angled Plug

<p>Applicable Flexible Cord Types:</p> <p>H05VV-F 3G 1.0 / 3G 1.5 H05RR-F 3G 1.0 / 3G 1.5 H05RM-F 3G 1.0</p> <p>Current Rate: 16A/250V</p>	 <p>Color: Red / Blue / Yellow / White</p>
---	---


IEC 60320 C20 Right Angled Plug

<p>Applicable Flexible Cord Types:</p> <p>H05VV-F 3G 1.0 / 3G 1.5 H05RR-F 3G 1.0 / 3G 1.5 H05RM-F 3G 1.0</p> <p>Current Rate: 16A/250V</p>	 <p>Color: Red / Blue / Yellow / White</p>
---	---

IEC 60320 C19 Straight Connector

<p>Applicable Flexible Cord Types:</p> <p>H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5 H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5 H05RN-F 3G 1.0 H07RN-F 3G 1.0</p> <p>Current Rate: 16A/250V</p>	 <p>Color: Red / Blue / Yellow / White</p>
---	---

IEC 60320 C19 Right Or Left Angled Connector

<p>Applicable Flexible Cord Types:</p> <p>H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5 H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5 H05RN-F 3G 1.0 H07RN-F 3G 1.0</p> <p>Current Rate: 16A/250V</p>	 <p>Color: Red / Blue / Yellow / White</p>
---	---



Italy



2 Poles Italian Plug

Applicable Flexible Cord Types:

- H03VVH2-F 2C 0.75
- H05VVH2-F 2C 0.75 / 2C 1.0
- H03VV-F 2C 0.75
- H05VV-F 2C 0.75 / 2C 1.0
- H05RR-F 2C 0.75 / 2C 1.0
- H05RN-F 2C 0.75 / 2C 1.0



Current Rate:
10A/250V

3 Poles Italian Plug

Applicable Flexible Cord Types:

- H03VV-F 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0
- H05RR-F 3G 0.75 / 3G 1.0
- H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
10A/250V

3 Poles Italian Plug

Applicable Flexible Cord Types:

- H03VV-F 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
- H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
- H05RN-F 3G 0.75 / 3G 1.0 / 3G 1.5



Current Rate:
10A/250V



Switzerland



2 Poles Swiss Plug

Applicable Flexible Cord Types:

- H03VVH2-F 2C 0.75
- H05VVH2-F 2C 0.75
- H03VV-F 2C 0.75
- H05VV-F 2C 0.75 / 2C 1.0
- H05RR-F 2C 0.75 / 2C 1.0
- H05RN-F 2C 0.75 / 2C 1.0



Current Rate:
10A/250V

3 Poles Swiss Plug

Applicable Flexible Cord Types:

- H03VV-F 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0
- H05RR-F 3G 0.75 / 3G 1.0
- H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
10A/250V

3 Poles Receptacle Straight Type

Applicable Flexible Cord Types:

- H03VV-F 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0
- H05RR-F 3G 0.75 / 3G 1.0
- H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
10A/250V

Denmark



3 Poles Denmark Plug

Applicable Flexible Cord Types:

H03VV-F 3G 0.75
H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
10A/250V

3 Poles Denmark Plug

Applicable Flexible Cord Types:

H03VV-F 3G 0.75
H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RN-F 3G 0.75 / 3G 1.0 / 3G 1.5



Current Rate:
10A/250V

Israel



2 Poles Israel Straight Type Plug

Applicable Flexible Cord Types:

H03VV-F 2C 0.75
H05VV-F 2C 0.75 / 2C 1.0 / 2C 1.5
H05RR-F 2C 0.75 / 2C 1.0 / 2C 1.5
H05RN-F 2C 0.75 / 2C 1.0
H03RT-H 2C 0.75 / 2C 1.0



Current Rate:
16A/250V

3 Poles Israel Angled Type Plug

Applicable Flexible Cord Types:

H03VV-F 3G 0.75
H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RN-F 3G 0.75 / 3G 1.0
H03RT-H 3G 0.75 / 3G 1.0



Current Rate:
16A/250V

3 Poles Israel Angled Type Plug

Applicable Flexible Cord Types:


H03VV-F 3G 0.75
H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RN-F 3G 0.75 / 3G 1.0
H03RT-H 3G 0.75 / 3G 1.0




Current Rate:
16A/250V




2 Poles UK Plug

<p>Applicable Flexible Cord Types:</p> <p>H03VVH2-F 2C 0.5 H03VVH2-F 2C 0.75 H05VVH2-F 2C 0.75</p> <p>Current Rate: 2.5A/250V</p>	
--	---


2 Poles UK Plug With Plastic Earth Poles

<p>Applicable Flexible Cord Types:</p> <p>H03VVH2-F 2C 0.75 H05VVH2-F 2C 0.75 H03VV-F 2C 0.75 H05VV-F 2C 0.75 / 2C 1.0 / 2C 1.5 H05RN-F 2C 0.75 / 2C 1.0 / 2C 1.5 H05RR-F 2C 0.75 / 2C 1.0 / 2C 1.5 H07RN-F 2C 1.0 / 2C 1.5</p> <p>Current Rate: 3A/250V / 5A/250V / 10A/250V / 13A/250V</p>	
---	---


3 Poles UK Plug

<p>Applicable Flexible Cord Types:</p> <p>H03VVH2-F 3G 0.75 H05VVH2-F 3G 0.75 H03VV-F 3G 0.75 H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5 H05RN-F 3G 0.75 / 3G 1.0 / 3G 1.5 H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5 H07RN-F 3G 1.0 / 3G 1.5</p> <p>Current Rate: 3A/250V / 5A/250V / 10A/250V / 13A/250V</p>	 <p>2 Conductors cable are available</p>
---	---


3 Poles UK Plug

<p>Applicable Flexible Cord Types:</p> <p>H03VVH2-F 3G 0.75 H05VVH2-F 3G 0.75 H03VV-F 3G 0.75 H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5 H05RN-F 3G 0.75 / 3G 1.0 / 3G 1.5 H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5 H07RN-F 3G 1.0 / 3G 1.5</p> <p>Current Rate: 3A/250V / 5A/250V / 10A/250V / 13A/250V</p>	 <p>2 Conductors cable are available</p>
---	---


IEC 60320 C13 Straight Type

<p>Applicable Flexible Cord Types:</p> <p>H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5</p> <p>Current Rate: 10A/250V</p>	
--	---

IEC 60320 C7 Straight Type

<p>Applicable Flexible Cord Types:</p> <p>H03VVH2-F 2C 0.75</p> <p>Current Rate: 2.5A/250V</p>	
---	---





2 Poles Japanese Plug Straight Type

Applicable Flexible Cord Types:

(H) VFF 2C 0.75 / 2C 1.25 / 2C 2..0
 (H) VFF 2C 0.75 / 2C 1.25 / 2C 2..0
 (H) VCTFK 2C 0.75 / 2C 1.25 / 2C 2..0
 HHFF 2C 0.75 / 2C 1.25 / 2C 2..0
 NNFF 2C 0.75 / 2C 1.25 / 2C 2..0



Current Rate:

7A/125V /12A/125V / 15A/125V

2 Poles Japanese Plug Straight Type

Applicable Flexible Cord Types:

(H) VCTF 2C 0.75 / 2C 1.25 / 2C 2.0
 VCT 2C 0.75 / 2C 1.25 / 2C 2.0
 (H) VCTFK 2C 0.75 / 2C 1.25 / 2C 2.0
 HHFF 2C 0.75 / 2C 1.25 / 2C 2.0
 NNFF 2C 0.75 / 2C 1.25 / 2C 2.0



Current Rate:

7A/125V /12A/125V / 15A/125V

3 Poles Japanese Plug Straight Type

Applicable Flexible Cord Types:

(H) VCTF 3C 0.75 / 3C 1.25 / 3C 2.0
 VCT 3C 0.75 / 3C 1.25



Current Rate:

7A/125V /12A/125V / 15A/125V

3 Poles Japanese Plug Straight Type

Applicable Flexible Cord Types:

(H) VCTF 3C 0.75 / 3C 1.25 / 3C 2.0
 VCT 3C 0.75 / 3C 1.25 / 3C 2.0



Current Rate:

7A/125V /12A/125V / 15A/125V

2 Poles Japanese Plug Straight Type

Applicable Flexible Cord Types:

(H) VCTF 2C 0.75 / 2C 1.25 / 2C 2.0
 VCT 2C 0.75 / 2C 1.25 / 2C 2.0
 (H) VCTFK 2C 0.75 / 2C 1.25 / 2C 2.0
 HHFF 2C 0.75 / 2C 1.25 / 2C 2..0
 NNFF 2C 0.75 / 2C 1.25 / 2C 2..0



Current Rate:

7A/125V /12A/125V / 15A/125V

2 Poles Japanese Receptacle Straight Type

Applicable Flexible Cord Types:


(H) VCTF 2C 0.75 / 2C 1.25 / 2C 2.0
 VCT 2C 0.75 / 2C 1.25 / 2C 2.0
 (H) VCTFK 2C 0.75 / 2C 1.25 / 2C 2.0
 HHFF 2C 0.75 / 2C 1.25 / 2C 2.0
 NNFF 2C 0.75 / 2C 1.25 / 2C 2.0




Current Rate:

7A/125V /12A/125V / 15A/125V







3 Poles Japanese Plug Straight Type

<p>Applicable Flexible Cord Types:</p> <p>(H) VFF 3C 0.75 / 3C 1.25 (H) VCTF 3C 0.75 / 3C 1.25 / 3C 2.0 VCT 3C 0.75 / 3C 1.25</p> <p>Current Rate: 7A/125V / 12A/125V / 15A/125V</p>	
---	---


3 Poles Japanese Receptacle Straight Type

<p>Applicable Flexible Cord Types:</p> <p>(H) VCTF 3C 1.25 / 2C 2.0 VCT 3C 1.25 / 3C 2.0</p> <p>Current Rate: 7A/125V / 12A/125V / 15A/125V</p>	
---	---


2 Poles Japanese Receptacle Straight Type

<p>Applicable Flexible Cord Types:</p> <p>(H) VCTF 2C 1.25 / 2C 2.0 VCT 2C 1.25 / 2C 2.0 (H) VCTFK 2C 1.25 / 2C 2.0 HHFF 2C 1.25 / 2C 2.0 NNFF 2C 1.25 / 2C 2.0</p> <p>Current Rate: 7A/125V / 12A/125V / 15A/125V</p>	
---	---


IEC 60320 C14 Straight Type Connector

<p>Applicable Flexible Cord Types:</p> <p>(H) VCTF 3C 0.75 / 3C 1.25 / 3C 2.0 VCT 3C 0.75 / 3C 1.25 / 3C 2.0</p> <p>Current Rate: 7A/125V / 12A/125V / 15A/125V</p>	
---	---


IEC 60320 C14 Right Angled & Left Angled Type

<p>Applicable Flexible Cord Types:</p> <p>(H) VCTF 3C 0.75 / 3C 1.25 / 3C 2.0 VCT 3C 0.75 / 3C 1.25 / 3C 2.0</p> <p>Current Rate: 7A/125V / 12A/125V / 15A/125V</p>	
---	---


IEC 60320 C14 Angled Top Type Connector

<p>Applicable Flexible Cord Types:</p> <p>(H) VCTF 3C 0.75 / 3C 1.25 / 3C 2.0 VCT 3C 0.75 / 3C 1.25 / 3C 2.0</p> <p>Current Rate: 7A/125V / 12A/125V / 15A/125V</p>	
---	---







EC 60320 C13 Straight Type

<p>Applicable Flexible Cord Types:</p> <p>(H) VCTF 3C 0.75 / 3C 1.25 / 3C 2.0 VCT 3C 0.75 / 3C 1.25 / 3C 2.0</p> <p>Current Rate: 7A/125V / 12A/125V / 15A/125V</p>	
---	---


IEC 60320 C13 Right Angled & Left Angled Type

<p>Applicable Flexible Cord Types:</p> <p>(H) VCTF 3C 0.75 / 3C 1.25 / 3C 2.0 VCT 3C 0.75 / 3C 1.25 / 3C 2.0</p> <p>Current Rate: 7A/125V / 12A/125V / 15A/125V</p>	
---	---


IEC 60320 C8 Straight Type

<p>Applicable Flexible Cord Types:</p> <p>(H) VFF 2C 0.75 (H) VCTFK 2C 0.75</p> <p>Current Rate: 7A/125V</p>	
--	---

IEC 60320 C7 Straight Type

<p>Applicable Flexible Cord Types:</p> <p>(H) VFF 2C 0.75 (H) VCTFK 2C 0.75</p> <p>Current Rate: 7A/125V</p>	
--	---

IEC 60320 C5 Straight Type

<p>Applicable Flexible Cord Types:</p> <p>(H) VCTF 3C 0.75 VCT 3C 0.75</p> <p>Current Rate: 7A/125V</p>	
---	---





2 Poles Korean Plug Straight Type

Applicable Flexible Cord Types:

H03VVH2-F 2*0.75

H05VVH2-F 2*0.75



Current Rate:
2.5A/250V

2 Poles Korean Plug Straight Type

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75

H05VVH2-F 2C0.75

H03VV-F 2C 0.75

H05VV-F 2C 0.75 / 2C 1.0

H05RR-F 2C 0.75 / 2C 1.0

H05RN-F 2C 0.75 / 2C 1.0



Current Rate:
10A/250V ~ 16A/250V

3 Poles Korean Plug Angled Type

Applicable Flexible Cord Types:

H03VV-F 3G 0.75

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5

H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5

H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
10A/250V ~ 16A/250V

3 Poles Korean Plug Straight Type

Applicable Flexible Cord Types:

H03VV-F 3G 0.75

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5

H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5

H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
10A/250V ~ 16A/250V

3 Poles Korea Connector Straight Type

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0



Current Rate:
2.5A/250V

2 Poles Korea Connector Straight Type

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75

H05VVH2-F 2C 0.75



Current Rate:
2.5A/250V





2 Poles China Plug Straight Type

Applicable Flexible Cord Types:

- 227IEC52 RVV 2C 0.5 / 2C 0.75 Round & Flat
- 227IEC53 RVV 2C 0.75 / 2C 1.0 Round & Flat
- 245IEC53 YZ 2C 0.75 / 2C 1.0
- 245IEC57 YZW 2C 0.75 / 2C 1.0



Current Rate:
6A/250V ~ 10A/250V

2 Poles China Plug Straight Type

Applicable Flexible Cord Types:

- 227IEC52 RVV 2C 0.5 / 2C 0.75 Round & Flat
- 227IEC53 RVV 2C 0.75 / 2C 1.0 Round & Flat
- 245IEC53 YZ 2C 0.75 / 2C 1.0
- 245IEC57 YZW 2C 0.75 / 2C 1.0



Current Rate:
6A/250V ~ 10A/250V

3 Poles China Plug Straight Type

Applicable Flexible Cord Types:

- 227IEC52 RVV 3C 0.5 / 3C 0.75
- 227IEC53 RVV 3C 0.75
- 245IEC53 YZ 3C 0.75 / 3C 1.0 / 3C 1.5
- 245IEC57 YZW 3C 0.75 / 3C 1.0
- 245IEC66 YCW 3C 1.0 / 3C 1.5



Current Rate:
6A/250V ~ 10A/250V

3 Poles China Plug Angled Type

Applicable Flexible Cord Types:

- 227IEC52 RVV 3C 0.5 / 3C 0.75
- 227IEC53 RVV 3C 0.75
- 245IEC53 YZ 3C 0.75 / 3C 1.0 / 3C 1.5
- 245IEC57 YZW 3C 0.75 / 3C 1.0
- 245IEC66 YCW 3C 1.0 / 3C 1.5



Current Rate:
6A/250V ~ 10A/250V

3 Poles China Plug Angled Type

Applicable Flexible Cord Types:

- 227IEC52 RVV 3C 0.5 / 3C 0.75
- 227IEC53 RVV 3C 0.75 / 3C 1.0 / 3C 1.5
- 245IEC53 YZ 3C 0.75 / 3C 1.0 / 3C 1.5
- 245IEC57 YZW 3C 0.75 / 3C 1.0 / 3C 1.5
- 245IEC66 YCW 3C 1.0 / 3C 1.5 / 3C 1.5



Current Rate:
10A/250V ~ 16A/250V

3 Poles China Plug Angled Type

Applicable Flexible Cord Types:

- 227IEC52 RVV 3C 0.5 / 3C 0.75
- 227IEC53 RVV 3C 0.75
- 245IEC53 YZ 3C 0.75 / 3C 1.0 / 3C 1.5
- 245IEC57 YZW 3C 0.75 / 3C 1.0
- 245IEC66 YCW 3C 1.0 / 3C 1.5



Current Rate:
10A/250V



China



2 Poles China Connector Straight Type

Applicable Flexible Cord Types:

227IEC52 RVV 2C 0.75 Flat

227IEC53 RVV 2C 0.75 Flat



Current Rate:
2.5A/250V

3 Poles China Connector Straight Type

Applicable Flexible Cord Types:

227IEC52 RVV 3C 0.75 Round

227IEC53 RVV 3C 0.75 / 3C 1.0 Round



Current Rate:
10A/250V

3 Poles China Connector Straight Type

Applicable Flexible Cord Types:

227IEC52 RVV 3C 0.75 Round

227IEC53 RVV 3C 0.75 / 3C 1.0 Round



Current Rate:
2.5A/250V



Singapore



3 Poles Singapore Plug

Applicable Flexible Cord Types:

H03VVH2-F 3G 0.75

H05VVH2-F 3G 0.75

H03VV-F 3G 0.75

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5

H05RN-F 3G 0.75 / 3G 1.0 / 3G 1.5

H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5

H07RN-F 3G 1.0 / 3G 1.5



Current Rate:
3A/250V / 5A/250V / 10A/250V / 13A/250V

2 Conductors cable are available

3 Poles Singapore Plug

Applicable Flexible Cord Types:

H03VVH2-F 3G 0.75

H05VVH2-F 3G 0.75

H03VV-F 3G 0.75

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5

H05RN-F 3G 0.75 / 3G 1.0 / 3G 1.5

H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5

H07RN-F 3G 1.0 / 3G 1.5



Current Rate:
3A/250V / 5A/250V / 10A/250V / 13A/250V

2 Conductors cable are available

2 Poles Singapore Plug With Plastic Earth Poles

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75

H05VVH2-F 2C 0.75

H03VV-F 2C 0.75

H05VV-F 2C 0.75 / 2C 1.0 / 2C 1.5

H05RN-F 2C 0.75 / 2C 1.0 / 2C 1.5

H05RR-F 2C 0.75 / 2C 1.0 / 2C 1.5

H07RN-F 2C 1.0 / 2C 1.5



Current Rate:
3A/250V / 5A/250V / 10A/250V / 13A/250V



3 Poles or 2 Poles India Plug Angled Type

Applicable Flexible Cord Types:

YY 2C 0.75
YY 3C 0.75

Current Rate:
6A/230V



3 Poles Or 2 Poles India Plug Angled Type

Applicable Flexible Cord Types:

YY 2C 0.75
YY 3C 0.75

Current Rate:
10A/250V



3 Poles India Connector

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5

Current Rate:
10A/230V



3 Poles India Plug

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5

Current Rate:
10A/230V



3 Poles India Connector Straight Type

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0

Current Rate:
2.5A/230V



2 Poles India Connector Straight Type

Applicable Flexible Cord Types:

H03VVH2-F 2*0.75

Current Rate:
2.5A/230V





2 Poles Australian Plug Straight Type

Applicable Flexible Cord Types:

- H03VVH2-F 2C 0.75
- H05VVH2-F 2C 0.75
- H03VV-F 2C 0.75
- H05VV-F 2C 0.75 / 2C 1.0
- H05RR-F 2C 0.75 / 2C 1.0
- H05RN-F 2C 0.75



Current Rate:
7.5A/250V ~ 10A/250V

3 Poles Australian Plug Angled Type

Applicable Flexible Cord Types:

- H03VV-F 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0
- H05RN-F 3G 0.75 / 3G 1.0
- H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5



Poles can be other position

Current Rate:
7.5A/250V~ 10A/250V

3 Poles Australian Plug Straight Type

Applicable Flexible Cord Types:

- H03VV-F 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0
- H05RN-F 3G 0.75 / 3G 1.0
- H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5



Current Rate:
7.5A/250V~ 10A/250V

3 Poles Australian Receptacle

Applicable Flexible Cord Types:

- H05VV-F 3G 1.0 / 3G 1.5
- H05RN-F 3G 1.0
- H05RR-F 3G 1.0 / 3G 1.5



Current Rate:
7.5A/250V~ 10A/250V

3 Poles Australian Connector / IEC 320 C14

Applicable Flexible Cord Types:

- H03VV-F 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5



Current Rate:
10A/250V

3 Poles Australian Connector / IEC 320 C13

Applicable Flexible Cord Types:

- H03VV-F 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5



Current Rate:
10A/250V



Australia



3 Poles Australian Connector / IEC 320 C13

Applicable Flexible Cord Types:

H03VV-F 3G 0.75

H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5



Current Rate:
10A/250V

3 Poles Australian Connector / IEC 320 C5

Applicable Flexible Cord Types:

H05VV-F 3G 0.75 / 3G 1.0



Current Rate:
2.5A/250V

2 Poles Australia Connector Straight Type

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75



Current Rate:
2.5A/250V



Argentina



3 Poles Argentina Plug Straight Type

Applicable Flexible Cord Types:

H03VVH2-F 3G 0.75

H05VVH2-F 3G 0.75

H03VV-F 3G 0.75

H05VV-F 3G 0.75 / 3G 1.0

H05RR-F 3G 0.75 / 3G 1.0

H05RN-F 3G 0.75 / 3G 1.0



Current Rate:
10A/250V

2 Poles Argentina Plug

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75

H05VVH2-F 2C 0.75

H03VV-F 2C 0.75

H05VV-F 2C 0.75 / 2C 1.0

H05RR-F 2C 0.75 / 2C 1.0

H05RN-F 2 0.75 / 2C 1.0



Current Rate:
10A/250V

2 Poles Argentina Plug

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75

H05VVH2-F 2C 0.75

H03VV-F 2C 0.75

H05VV-F 2C 0.75 / 2C 1.0

H05RR-F 2C 0.75 / 2C 1.0

H05RN-F 2 0.75 / 2C 1.0



Current Rate:
10A/250V



2 Poles Brazil Plug Straight Type

Applicable Flexible Cord Types:

- H03VVH2-F 2C 0.5 / 2C 0.75
- H05VVH2-F 2C 0.75 / 2C 1.0
- H03VV-F 2C 0.5 / 2C 0.75
- H05VV-F 2C 0.75 / 2C 1.0 / 2C 1.5
- H05RR-F 2C 0.75 / 2c 1.0 / 2C 1.5
- H05RN-F 2C 0.75 2C 1.0



Current Rate:

2.5A/250V ~ 10A/250V ~ 12A/250V ~ 16A/250V

3 Poles Brazil Plug Straight Type

Applicable Flexible Cord Types:

- H03VV-F 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
- H03RT-H 3G 0.75 / 3G 1.0 / 3G 1.5
- H05RN-F 3G 0.75 / 3G 1.0
- H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5



Current Rate:

10A/250V ~ 12A/250V ~ 16A/250V

3 Poles Brazil Receptacle Straight Type

Applicable Flexible Cord Types:

- H03VV-F 3G 0.75
- H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
- H03RT-H 3G 0.75 / 3G 1.0 / 3G 1.5
- H05RN-F 3G 0.75 / 3G 1.0
- H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5



Current Rate:

10A/250V ~ 12A/250V ~ 16A/250V

IEC 60320 C13 Straight Type

Applicable Flexible Cord Types:

- H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5



Current Rate:

10A/250V

IEC 60320 C5 Straight Type

Applicable Flexible Cord Types:

- H05VV-F 3G 0.75 / 3G 1.0



Current Rate:

10A/250V

IEC 60320 C7 Straight Type


Applicable Flexible Cord Types:

- H03VVH2-F 2C 0.75
- H05VVH2-F 2C 0.75



Current Rate:

2.5A/230V



South Africa



2 Poles Or 3 Poles 6A South African plug

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.75
H05VVH2-F 2C 0.75
H03RT-H 3G 0.75 / 3G 1.0
H03VV-F 2C 0.75 / 3G 0.75
H05VV-F 2C 0.75 / 2C 1.0
H05VV-F 3G 0.75 / 3G 1.0
H05RR-F 2C 0.75 / 2C 1.0
H05RR-F 3G 0.75 / 3G 1.0
H05RN-F 3G0.75 / 3G1.0

Current Rate:
6A/250V



2 Poles Or 3 Poles 16A South African plug

Applicable Flexible Cord Types:

H05VVH2-F 2C 0.75
H03RT-H 3G 0.75 / 3G 1.0 / 3G 1.5
H03VV-F 2C 0.75 / 3G 0.75
H05VV-F 2C 0.75 / 2C 1.0 / 2C 1.5
H05VV-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RR-F 2C 0.75 / 2C 1.0 / 2C 1.5
H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RN-F 3G0.75 / 3G1.0

Current Rate:
6A/250V ~ 16A/250V



Thailand



2 Poles Thailand Plug

Applicable Flexible Cord Types:

H03VVH2-F 2C 0.5 / 2C 0.75
H05VVH2-F 2C 0.75
H03VV-F 2C 0.75 / 2C 0.75
H05VV-F 2C 0.75 / 2C 1.0 / 2C 1.5
H05RR-F 2C 0.75 / 2C 1.0 / 2C 1.5
H05RN-F 2C 0.75 / 2C 1.0
H07RN-F 2C 1.0 / 2C 1.5

Current Rate:
2.5A/250V ~ 10A/250V ~ 16A/250V



3 Poles Thailand Plug


Applicable Flexible Cord Types:

H03VV-F 3G 0.5 / 3G 0.75
H05VV-F 3G0.75 / 3G 1.0 / 3G 1.5
H03RT-H 3G 0.75 / 3G 1.0
H05RR-F 3G 0.75 / 3G 1.0 / 3G 1.5
H05RN-F 3G 0.75 / 3G 1.0
H07RN-F 3G 1.0 / 3G 1.5

Current Rate:
2.5A/250V ~ 10A/250V ~ 16A/250V




Cigarette Plug



Cigarette Light Head With Battery Clip Series

SR With Power Series

Car Refrigerator Plug



One In To Two Out


One In To Four Out

One In To Two Out

One In To Three Out




DC Plug



Fan Plug

Applicable Flexible Cord Types:


Complied Standards:
 Axial Fan connector/Plug
Available Length: Customized Application:
Application: Axial cooling fans
 REACH/ RoHS Compliant
 Available Cords SPT-1 18AWG/2C



Fan Plug

Applicable Flexible Cord Types:


Complied Standards:
 Axial Fan connector/Plug
Available Length: Customized Application:
Application: Axial cooling fans
 REACH/ RoHS Compliant
 Available Cords SPT-1 18AWG/2C



Fan Plug

Applicable Flexible Cord Types:


Complied Standards:
 Axial Fan connector/Plug
Available Length: Customized Application:
Application: Axial cooling fans
 REACH/ RoHS Compliant
 Available Cords SPT-1 18AWG/2C




Fan Plug

Applicable Flexible Cord Types:

Complied Standards:
 Axial Fan connector/Plug
Available Length: Customized Application:
Application: Axial cooling fans
 REACH/ RoHS Compliant
 Available Cords SPT-1 18AWG/2C



International Cordage 國際電纜標稱

Generally, there are two main cordage types used in the world: the American Wire Gauge (AWG) system used in North America and the European Harmonized types. In AWG system, the cordage is described terms of wire gauge size such as 16 or 18 AWG, while a Harmonized cordage is expressed by mean of mm² (an 18 AWG conductor is comparable to 0.75mm²).

一般的電纜標稱主要使用以下兩種方法：
北美洲所使用的AWG系統和歐陸式的協調系統編碼。在美式系統中，電纜是以接線號標稱。例如AWG16號或AWG18號；而在協調系統中，是用平方毫米作標稱的(AWG18號導體相等於0.75mm²)。

























Conductor Colour Codes 導體顏色標稱

L = Live (火線)
N = Neutral (中線)
E = Earth (Ground) 地線
4th Conductor 第四條導線
5th Conductor 第五條導線
6th Conductor 第六條導線

North American 北美洲
Black 黑
White 白
Green 綠
Red 紅
Yellow 黃
Orange 橙

Harmonized 協調系統
Brown 啡
Blue 藍
Green/Yellow 綠 / 黃

Standard & Approval Agencies 標準及認證機構

Australia 澳洲 Standards Association of Australia		France 法國 Union Technique de l'Electricite		Brazil 巴西 ABNT Associacao Brasileira de Normas Tecnicas Rua Marques de ITU	
Austria 奧地利 Oesterreichischer Verband Fur Elektrotechnik		Germany, F.R. 德國 VDE-Prufstelle		Sweden 瑞典 SEMKO	
Belgium 比利時 Comite Electrotechnique Belge Service de la Marque CEBEC		South Africa 南非		Switzerland 瑞士 SEV-Schweizerischer Elektrotechnischer Verein	
Canada 加拿大 Canadian Standards Association		Italy 意大利 Istituto Italiano del Marchio di Qualita		United Kingdom 英國 BSI-British Standards Institution	
Czechoslovakia 捷克 Urad pro Normalizaci a Mereni (Office for Standards & Measurements)		Argentina 阿根廷 IRMA Instiuto Argentino de Racionalizacion de Materiales		United States 美國 UL-Underwriters Laboratories, inc.	
Denmark 丹麥 Demko		Taiwan 台灣		Japan 日本 The Ministry of International Trade and Industry	
Finland 芬蘭 Electrical Inspectorate		Norway 挪威 NEMKO		China 中國 China Commission for Conformity Certification of Electric Equipment	
Korea 韓國		Singapore 新加坡			

Harmonized Wire Coding System 協調線材編碼系統

This chart illustrates the harmonization code for cordage "H05VVV 3G 0.75"

此表舉例解釋歐陸式協調系統標稱如 “H05VVV 3G 0.75”

